



SERVICES OFFERED

ASSESSING SOIL HEALTH

Introduction

What is soil health?

Various definitions exist for “soil health” but the general consensus is that a healthy soil will have a continued capacity to sustain plant, animal and human ecosystems. It is a dynamic quality that can be affected by land-use, management practices and climactic effects.

For agricultural and horticultural production systems, soil health is a combination of *physical properties* such as soil texture, *chemical properties* such as pH and mineral nutrient content, and *biological properties* including living biomass and mineralisable N. All of these properties are profoundly influenced by the soil organic matter and soil type.

A healthy soil will have good tilth (crumbly, well-structured, dark with organic matter), extensive rooting, optimal pH, sufficient nutrients and be free of contaminants.

Tests

The **Basic Soil Profile (BS)** reports *chemical properties* related to soil quality:

- pH
- cation exchange capacity (CEC) and plant available nutrients e.g. Phosphorus (P), Potassium (K), Magnesium (Mg), Calcium (Ca) and Sodium (Na)

The **Sulphur(S) profile** reports extractable forms of Sulphur as SO₄-S and organic-S, and are important soil fertility measures.

Anion Storage Capacity (ASC) is an inherent soil characteristic and is measure of the soils capacity to store P and S.

The **Organic Soil Profile (OrgSP)** includes some additional tests that allow an assessment of the *biological properties*.

Along with the more sensitive **Hot Water Extractable Carbon (HWEC)** test, a dataset for estimating and monitoring soil quality or health is obtained. The OrgSP suite focuses on the soil organic matter fraction and comprises the following tests:

- organic matter (total carbon)
- anaerobically mineralisable nitrogen (potentially available nitrogen)
- total nitrogen
- carbon:nitrogen ratio
- anaerobically mineralisable nitrogen:total nitrogen ratio

The quantity and nature of organic matter is highly dependent upon farming practices and climatic conditions. Factors known to affect the build up or depletion of soil organic matter are listed below:

Organic Matter Accumulation

Grass/clover pasture
Moist summer growing conditions
Direct drill/no tillage
Incorporation of crop residues
Controlled Grazing
Friable soil structure, good root density
Moderate N fertiliser application
Green manure/cover crops

Organic Matter Depletion

Bare soil/fallow
Summer drought
Intensive cultivation
Removal or burning crop residues
Overgrazing
Compacted soil, shallow root zone
Excessive N fertiliser applications
Erosion

Hot Water Extractable Carbon (HWEC)

While the total organic matter and the C:N ratio (determined from total carbon and total nitrogen) are useful as a guide to soil health and the likely rate of organic matter mineralisation, they are fairly imprecise indicators. Small changes in the quantity and nature of the soil organic matter can substantially affect soil health and fertility, but are not always apparent from the total N and C tests.

A better determinant of soil health would be soil microbial biomass Carbon, but analysis of soil microbial biomass is time-consuming and expensive.

Trials have shown that Hot Water Extractable Carbon (HWEC), the labile fraction of the soil Organic Carbon pool, correlates strongly with soil microbial biomass C. HWEC is now offered by Hill Laboratories.

The HWEC test provides a robust measure of the more labile soil carbon fraction and has been shown to be sensitive to subtle changes in soil quality that occur due to farm management practices and climactic effects.

Researchers have shown the HWEC test to be an indicator that is sensitive to changes due to fertilisation and grazing as well as physical modification to soils e.g. humping/hollowing and flipping. Differences between ecosystems have also been described, whereby HWEC is generally higher in low intensity soil-plant systems than those under intensive usage, following a decreasing pattern for soils: native>drystock>dairy>cropping>market gardens (for the same soil type).

Soil Texture

A laboratory test for soil texture (%sand, silt, clay) on the inorganic soil fraction is available on request. The laboratory uses a sedimentation hydrometer method, and has limited capacity for this two-day procedure. This may be a useful test for soil texture classification (where it is not already known) and can help with evaluation of farm management practices such as irrigation, agrichemical or effluent application, stocking rate and cultivation.

Conclusion

A package of related tests is offered, to better assess the overall health of a soil. Most of the tests have been offered for many years, but the Hot Water Extractable Carbon is a new service as from 2017. Refer also to related Technical Notes: Laboratory Tests for Soil Carbon; Organic Soil Profile and Measurement of Soil Texture for more detail and the references supporting these test methods.

A new Soil Health package has been created to make it easy to select the most applicable laboratory tests for monitoring soil health.

Profile or Test Name	Test Code	Includes	List price (excl GST)
Soil Health package	SHealthp (includes BS, S, ASC, OrgSP, HWEC)	pH, Olsen P, Exchangeable Cations (Ca, Mg, K, Na), Cation Exchange Capacity, %Base Saturation, Volume Weight, Sulphate-Sulphur, Extractable Organic Sulphur, Anion Storage Capacity, Organic Matter (from Total Carbon), Total Nitrogen, Potentially Available N (AMN) and CN ratio and Hot Water Extractable Carbon	\$135
Soil texture	STexture	%sand, %silt,%clay in the inorganic soil fraction	\$135
Others	tCd	Total Recoverable Cadmium (as additional test)	\$26
	tCu	Total Recoverable Copper (as additional test)	\$19

Contact

Please contact an Agriculture Client Services Manager for further information or visit our website www.hill-laboratories.com to view the client resources page or to order sampling supplies.