

# Laboratory Accreditation Programmes

Schedule to  
**CERTIFICATE OF ACCREDITATION**

Hill Laboratories  
 Hamilton

**Client No. 590**

Private Bag 3205, Waikato Mail Centre, Hamilton, 3240  
 28 Duke St, Frankton, Hamilton, 3204

**Telephone 0508 445-5522**

**www.hill-laboratories.com**

**Authorised Representative**

Ms Gillian Lees  
 Quality Management Contractor

**Programme**

MPI Recognised Laboratory Programme

**Accreditation Number 1148**

**Initial Accreditation Date 18 January 2016**

**Conformance Standard**

NZS ISO/IEC 17025:2005

General requirements for the competence of testing and calibration laboratories

Animal Products Notice – Specifications for Laboratories

**Testing Services Summary**

Meat & Poultry Industry Potable Water Microbiology  
 Meat & Meat Product, Poultry & Honey Microbiology/Parasitology  
 Potable Water - Physico-Chemical Parameters  
 Animal Products - Chemical Residue Testing (NRCP & NCCP)  
 Honey  
 Seafood Products and Water  
 Dairy Products - Microbiology  
 Dairy Products - Composition (includes standards of identity, vitamins, minerals & other nutrients)


**Key Technical Personnel**

Mrs Priya Babu

1.1.1, 1.2, 1.3, 1.6.1, 1.8, 2.1.1, 2.1.2, 2.1.3, 2.1.5, 2.2.1, 2.2.2, 2.3, 2.4.1, 2.6,  
 2.9, 11.1.1, 11.1.2, 11.2.1, 11.2.3, 11.3.1, 11.3.3, 11.4.1, 11.4.2, 11.5.3, 11.5.4,  
 11.5.10, 11.5.11, 11.6.2, 11.6.7, 11.6.8, 11.8.1, 11.8.2, 11.8.5, 11.8.6, 31.1, 31.2,  
 31.6, 31.7, 31.8, 31.10, 31.12, 31.14, 31.16, 31.17

Ms Helena Bertram

Authorised:  
 General Manager



Issue 22

Date: 04/10/19


Page 1 of 10

## Laboratory Accreditation Programmes

### Schedule to CERTIFICATE OF ACCREDITATION

	5.01, 5.02, 5.03, 5.04, 5.10, 5.11, 5.12, 5.13, 5.14, 5.16, 5.17, 5.18, 5.19, 5.20, 5.22, 5.23, 5.24, 5.25, 5.26, 5.28, 5.29, 5.31, 5.32, 5.35, 5.36.1, 5.36.2, 5.36.3, 5.39, 5.40, 5.42, 5.43, 5.44, 5.45, 5.46
Mr Mark Bryant	8.20, 32.9
Mr Shaun Clay	8.40, 8.42, 10.02, 10.05
Mr Graham Corban	5.01, 5.02, 5.03, 5.04, 5.10, 5.11, 5.12, 5.13, 5.14, 5.16, 5.17, 5.18, 5.19, 5.20, 5.22, 5.23, 5.24, 5.25, 5.26, 5.28, 5.29, 5.31, 5.32, 5.35, 5.36.1, 5.36.2, 5.36.3, 5.39, 5.40, 5.42, 5.43, 5.44, 5.45, 5.46
Mr Martin Cowell	5.01, 5.02, 5.03, 5.04, 5.10, 5.11, 5.12, 5.13, 5.14, 5.16, 5.17, 5.18, 5.19, 5.20, 5.22, 5.23, 5.24, 5.25, 5.26, 5.28, 5.29, 5.31, 5.32, 5.35, 5.36.1, 5.36.2, 5.36.3, 5.39, 5.40, 5.42, 5.43, 5.44, 5.45, 5.46
Ms April Flett	1.1.1, 1.2, 1.3, 1.6.1, 1.8, 2.1.1, 2.1.2, 2.1.3, 2.2.1, 2.2.2, 2.3, 2.4.1, 2.6, 2.9, 11.1.1, 11.1.2, 11.2.1, 11.2.3, 11.3.1, 11.3.3, 11.4.1, 11.4.2, 11.5.3, 11.5.4, 11.5.10, 11.5.11, 11.6.2, 11.6.7, 11.6.8, 11.8.1, 11.8.2, 11.8.5, 11.8.6, 31.1, 31.2, 31.6, 31.7, 31.8, 31.10, 31.12, 31.14, 31.16, 31.17
Mr Jon Harris	5.01, 5.02, 5.03, 5.04, 5.10, 5.11, 5.12, 5.13, 5.14, 5.16, 5.17, 5.18, 5.19, 5.20, 5.22, 5.23, 5.24, 5.25, 5.26, 5.28, 5.29, 5.31, 5.32, 5.42, 5.44, 5.45, 5.46
Miss Ara Heron	5.01, 5.02, 5.03, 5.04, 5.10, 5.11, 5.12, 5.13, 5.14, 5.16, 5.17, 5.18, 5.19, 5.20, 5.22, 5.23, 5.24, 5.25, 5.26, 5.28, 5.29, 5.31, 5.32, 5.35, 5.36.1, 5.36.2, 5.36.3, 5.39, 5.40, 5.42, 5.43, 5.44, 5.45, 5.46
Miss Crystal Jones	8.20, 32.9
Ms Helen McGowan	8.40, 8.42, 10.02, 10.05
Dr Bruce Morris	8.40, 8.42, 10.02, 10.05
Dr Eilidh Mowat	2.1.1, 2.2.1, 2.4.1, 2.6, 2.14, 10.04, 11.5.3, 11.5.4, 11.5.10, 11.5.11, 11.6.7, 11.6.8, 11.8.2, 11.8.5, 11.8.6, 31.1, 31.2, 31.6, 31.7, 31.8, 31.10, 31.12, 31.14, 31.16, 31.17
Mrs Shobhna Ram	1.1.1, 1.2, 1.3, 1.6.1, 1.8, 2.1.1, 2.1.2, 2.1.3, 2.1.5, 2.2.1, 2.2.2, 2.3, 2.4.1, 2.6, 2.9, 11.1.1, 11.1.2, 11.2.1, 11.2.3, 11.3.1, 11.3.3, 11.4.1, 11.4.2, 11.5.3, 11.5.4, 11.5.10, 11.5.11, 11.6.2, 11.6.7, 11.6.8, 11.8.1, 11.8.2, 11.8.5, 11.8.6, 31.1, 31.2, 31.6, 31.7, 31.8, 31.10, 31.12, 31.14, 31.16, 31.17
Mr Kevin Wang	1.1.1, 1.2, 1.3, 1.6.1, 1.8, 2.1.1, 2.1.2, 2.1.3, 2.1.5, 2.2.1, 2.2.2, 2.3, 2.4.1, 2.6, 2.9, 10.04, 11.1.1, 11.1.2, 11.2.1, 11.2.3, 11.3.1, 11.3.3, 11.4.1, 11.4.2, 11.5.3, 11.5.4, 11.5.10, 11.5.11, 11.6.2, 11.6.7, 11.6.8, 11.8.1, 11.8.2, 11.8.5, 11.8.6, 31.1, 31.2, 31.6, 31.7, 31.8, 31.10, 31.12, 31.14, 31.16, 31.17
Ms Ester Woollaston	

Authorised:  
General Manager



Issue 22


Date: 04/10/19

Page 2 of 10

Schedule to  
**CERTIFICATE OF ACCREDITATION**

1.1.1, 1.2, 1.3, 1.6.1, 1.8, 2.1.1, 2.2.1, 2.3, 2.4.1, 2.6, 2.9, 2.14, 10.04, 11.1.1,  
11.1.2, 11.2.1, 11.2.3, 11.3.1, 11.3.3, 11.4.1, 11.4.2, 11.5.3, 11.5.4, 11.5.10,  
11.5.11, 11.6.2, 11.6.7, 11.6.8, 11.8.1, 11.8.2, 11.8.5, 11.8.6, 31.1, 31.2, 31.6,  
31.7, 31.8, 31.10, 31.12, 31.14, 31.16, 31.17

Authorised:  
General Manager



Issue 22

Date: 04/10/19

Page 3 of 10

Laboratory Accreditation Programmes

Schedule to  
**CERTIFICATE OF ACCREDITATION**

Hill Laboratories  
MPI Recognised Laboratory Programme  
**SCOPE OF ACCREDITATION**

Accreditation Number 1148

The MPI Recognised Laboratory Programme commenced in 2015, replacing prior regulatory recognition/approval schemes for testing laboratories under the Animal Products Act. This accreditation replaces previously held accreditations by this laboratory in the following IANZ Laboratory Accreditation Programmes called up under the Animal Products Act.

IANZ Laboratory Accreditation Programme	Accreditation Number	Date of Initial Accreditation
Dairy Testing Laboratory	762	10/04/2001
MPI Laboratory Approval Scheme	887	30/01/2004

**Meat & Poultry Industry Potable Water Microbiology**

In accordance with MIMM: Microbiological Methods for the Meat Industry (5<sup>th</sup> Edition)

1.1.1	Total coliforms / <i>Escherichia coli</i>	11.A1.1
	Total coliforms / <i>Escherichia coli</i>	11.A2 with 11.A2.6
1.2	Faecal coliforms	11.A2 MPN
1.3	Colony count (22 °C)	11.6
1.6.1	<i>Clostridium perfringens</i>	11.A3
1.8	<i>Escherichia coli</i>	11.A1.1


**Meat & Meat Product, Poultry & Honey Microbiology/Parasitology**

In accordance with MIMM: Microbiological Methods for the Meat Industry (5<sup>th</sup> Edition) and the following NZ Food Safety Authority (Animal Products) Schedule 1 Technical Procedures for the National Microbiological Database

- Porcine

2.1.1	Aerobic Plate Count	MIMM 6
	Aerobic Plate Count	TEMPO AC
2.1.2	Aerobic Plate Count	NMD 3.15.4 with sampling NMD 3
2.1.3	Aerobic Plate Count	NMD 3.15.5 with sampling NMD 3
2.1.5	Aerobic Plate Count	China OMAR 09/35
2.2.1	<i>Escherichia coli</i>	MIMM 8.4
	<i>Escherichia coli</i> (count)	TEMPO EC
2.2.2	<i>Escherichia coli</i>	NMD 3.16 with sampling NMD 3
2.3	<i>Staphylococcus aureus</i>	MIMM 7.8
2.4.1	Salmonella	In-House (PCR)

Authorised:  
General Manager



Issue 22 Date: 04/10/19

Page 4 of 10

Schedule to  
**CERTIFICATE OF ACCREDITATION**

Hill Laboratories  
MPI Recognised Laboratory Programme  
**SCOPE OF ACCREDITATION**

Accreditation Number 1148


2.6	<i>Listeria monocytogenes</i>	In-House (PCR)
2.9	Enterobacteriaceae	MIMM 8.2
2.14	American Foulbrood American Foulbrood	qPCR method In-house method

**Potable Water - Physico-Chemical Parameters**

In accordance with APHA Standards Methods for the Examination of Water and Wastewater (23<sup>rd</sup> Edition) unless otherwise stated.

5.01	Colour	2120 B
5.02	Conductivity	2510 B
5.03	pH (hydrogen ion concentration)	4500-H B
5.04	Turbidity	2130 B (modified)
5.10	Ammoniacal nitrogen (ammonium) Ammoniacal nitrogen (ammonium)	4500-NH <sub>3</sub> F (modified, discrete analyser) 4500-NH <sub>3</sub> H
5.11	Chloride	4110 B (modified)
5.12	Fluoride Fluoride	4500-F C 4110 B
5.13	Nitrate Nitrate	4500-NO <sub>3</sub> I (modified) 4110 B
5.14	Nitrite Nitrite	4500-NO <sub>3</sub> I (modified) 4110 B
5.16	Sulphate	4110 B
5.17	Aluminium	3125 B
5.18	Arsenic	3125 B
5.19	Boron	3125 B
5.20	Cadmium	3125 B
5.22	Chromium	3125 B
5.23	Copper	3125 B
5.24	Cyanide Cyanide Cyanide Cyanide	4500-CN C (modified) 4500-CN E (modified, discrete analyser) 4500-CN I (modified) 4500-CN N (modified)
5.25	Iron	3120 B

Authorised:  
General Manager



Issue 22 Date: 04/10/19

Page 5 of 10

Laboratory Accreditation Programmes


Schedule to  
**CERTIFICATE OF ACCREDITATION**

Hill Laboratories  
MPI Recognised Laboratory Programme  
**SCOPE OF ACCREDITATION**

Accreditation Number 1148

	Iron	3125 B
5.26	Lead	3125 B
5.28	Manganese	3125 B
5.29	Mercury Mercury	USEPA 245.7 (CVAF) 3125 B
5.31	Sodium Sodium	3120 B 3125 B
5.32	Selenium	3125 B
5.35	Polynuclear aromatic hydrocarbons (PAH)	EPA 8270 D; GC-MSD and GC-MS/MS
5.36.1	Acid herbicides	In-house by LC-MS/MS
	<ul style="list-style-type: none"> <li>• 2,4,5-T</li> <li>• 2,4-D</li> <li>• 2,4-DB</li> <li>• Dichlorprop</li> <li>• Fenoprop</li> <li>• MCPA</li> <li>• Mecoprop</li> <li>• Pentachlorophenol</li> <li>• Picloram</li> <li>• Triclopyr</li> </ul>	
5.36.2	Chlortoluron, diuron, thiabendazole	In-house by GC-MSD
5.36.3	Semi Volatile Organic Compounds (SVOC)	EPA 8270 D; GC-MSD (unless otherwise stated)
	<ul style="list-style-type: none"> <li>• Alachlor</li> <li>• Aldicarb</li> <li>• Aldrin + dieldrin</li> <li>• Aldrin + dieldrin</li> <li>• Atrazine</li> <li>• Azinphos methyl</li> <li>• Benzo(a)pyrene</li> <li>• Benzo(a)pyrene</li> <li>• Bromacil</li> <li>• Carbofuran</li> <li>• Chlordane</li> <li>• Chlordane</li> <li>• Chlorpyrifos</li> <li>• Cyanazine</li> <li>• DDT + isomers</li> <li>• DDT + isomers</li> <li>• Dimethoate</li> </ul>	<p>In-house by LC-MS/MS</p> <p>In-house by GC-MS/MS</p> <p>In-house by GC-MS/MS</p> <p>In-house by GC-MS/MS</p> <p>In-house by GC-MS/MS</p> <p>In-house by GC-MS/MS</p>

Authorised:  
General Manager



Issue 22 Date: 04/10/19

Page 6 of 10

# Laboratory Accreditation Programmes


## Schedule to CERTIFICATE OF ACCREDITATION

Hill Laboratories  
MPI Recognised Laboratory Programme  
**SCOPE OF ACCREDITATION**

Accreditation Number 1148

• Endrin		
• Endrin		In-house by GC-MS/MS
• Heptachlor + heptachlor epoxide		
• Heptachlor + heptachlor epoxide		In-house by GC-MS/MS
• Hexachlorobenzene		
• Hexachlorobenzene		In-house by GC-MS/MS
• Hexazinone		
• Isoproturon		In-house by LC-MS/MS
• Lindane		
• Lindane		In-house by GC-MS/MS
• Metachlor		
• Metalaxyl		
• Methoxychlor		
• Methoxychlor		In-house by GC-MS/MS
• Metribuzin		
• Molinate		
• Oryzalin		In-house by LC-MS/MS
• Oxadiazon		
• Pendimethalin		
• Pirimiphos methyl		
• Pyriproxifen		
• Primisulfuron-methyl		In-house by LC-MS/MS
• Procymidone		
• Propazine		
• Simazine		
• Terbacil		
• Terbutylazine		
• Trifluralin		
5.39	Volatile Organic Compounds (VOC)	In-house based on USEPA 8260, 5030, 5021
• Benzene		
• 1,2-dichloroethane		
• Tetrachloroethane and trichloroethane		
• Tetrachloroethene and trichloroethene		
• Vinyl chloride		
• 1,2-dibromo-3-chloropropane		
• 1,2-dibromoethane		
• 1,2-dichloropropane		
• 1,3-dichloropropene, cis		
• 1,3-dichloropropene, trans		
5.40	Trihalomethanes	In-house based on USEPA 8260, 5030, 5021

Authorised:  
General Manager



Issue 22 Date: 04/10/19

Page 7 of 10

# Laboratory Accreditation Programmes

## Schedule to CERTIFICATE OF ACCREDITATION

Hill Laboratories  
MPI Recognised Laboratory Programme  
**SCOPE OF ACCREDITATION**

Accreditation Number 1148

5.42	Total Organic Carbon (TOC)	5310 C (modified)
5.43	Acrylamide	In-house by LC-MS/MS
5.44	Antimony	ICP-MS
5.45	Bromate	USEPA 300.1
5.46	Nickel	ICP-MS

### Animal Products - Chemical Residue Testing (NRCP & NCCP)

8.20	Heavy metals (dairy, meat, poultry, honey and propolis)	APHA 3030 Fa / 3125 B (ICP-MS)
	Heavy metals (in fish, fishmeal and shellfish)	APHA 3030 Fa / 3125 B (ICP-MS)
8.40	Paradichlorobenzene (PDB) (honey)	In-house by SPME GC-MS
8.42	Tutin (honey)	In-house by LC-MS/MS

### Honey


10.02	Moisture	International Honey Commission Method 1 (modified)
10.04	<i>Leptospermum scoparium</i> DNA <i>Leptospermum scoparium</i> DNA (modified)	PCR as per MPI Technical Paper 2017/31 PCR as per MPI Technical Paper 2017/31
10.05	Four Chemical Characterisation (NZ Manuka) (modified)	MPI Technical Paper No.: 2017/30
	<ul style="list-style-type: none"> <li>• 2-Methoxyacetophenone (2-MAP)</li> <li>• 2-Methoxybenzoic acid (2-MBA)</li> <li>• 3-Phenyllactic acid (3-PA)</li> <li>• 4-Hydroxyphenyllactic acid (4-HPA)</li> </ul>	

### Seafood Products and Water

In accordance with APHA Compendium of Methods for the Microbiological Examination of Foods (5th Edition) unless where otherwise stated.

11.1.1	Faecal coliforms	MIMM 11.A2
11.1.2	Total coliforms / <i>Escherichia coli</i>	MIMM 11.A1.1
	Total coliforms / <i>Escherichia coli</i>	MIMM 11.A2 with 11.A2.6
	Total coliforms / <i>Escherichia coli</i>	MIMM 11.A2.6
11.2.1	Faecal coliforms	MIMM 11.A2

Authorised:  
General Manager



Issue 22 Date: 04/10/19

Page 8 of 10



# Laboratory Accreditation Programmes

## Schedule to CERTIFICATE OF ACCREDITATION


Hill Laboratories  
MPI Recognised Laboratory Programme  
**SCOPE OF ACCREDITATION**

Accreditation Number 1148

11.2.3	Total coliforms / <i>Escherichia coli</i> Total coliforms / <i>Escherichia coli</i> Total coliforms / <i>Escherichia coli</i>	MIMM 11.A1.1 MIMM 11.A2 with 11.A2.6 MIMM 11.A2.6
11.3.1	Faecal coliforms	MIMM 11.A2
11.3.3	Total coliforms / <i>Escherichia coli</i> Total coliforms / <i>Escherichia coli</i> Total coliforms / <i>Escherichia coli</i>	MIMM 11.A1.1 MIMM 11.A2 with 11.A2.6 MIMM 11.A2.6
11.4.1	<i>Escherichia coli</i>	MIMM 11.A2.6
11.4.2	Total coliforms	MIMM 11.A2
11.5.3	Aerobic Plate Count Aerobic Plate Count Aerobic Plate Count Aerobic Plate Count	APHA Ch. 8.72 APHA Ch. 8.73 APHA Ch. 8.82 TEMPO AC
11.5.4	<i>Staphylococcus aureus</i> <i>Staphylococcus aureus</i>	APHA Ch. 39.6 TEMPO STA
11.5.10	<i>Escherichia coli</i> <i>Escherichia coli</i> (count)	APHA Ch. 9.93 TEMPO EC
11.5.11	Salmonella	In-house (PCR)
11.6.2	<i>Escherichia coli</i>	Enumeration of <i>E coli</i> in Molluscan Bivalve Shellfish, MPI method
11.6.7	Aerobic Plate Count Aerobic Plate Count Aerobic Plate Count Aerobic Plate Count	APHA Ch. 8.72 APHA Ch. 8.73 APHA Ch. 8.82 TEMPO AC
11.6.8	<i>Staphylococcus aureus</i>	TEMPO STA
11.8.1	<i>Escherichia coli</i>	Enumeration of <i>E coli</i> in Molluscan Bivalve Shellfish, MPI method
11.8.2	Salmonella	In-house (PCR)
11.8.5	<i>Listeria monocytogenes</i> <i>Listeria monocytogenes</i>	In-house (PCR) ISO 11290- 2 Amendment 1
(2004)(modified)		
11.8.6	Aerobic Plate Count Aerobic Plate Count Aerobic Plate Count Aerobic Plate Count	APHA Ch. 8.72 APHA Ch. 8.73 APHA Ch. 8.82 TEMPO AC

### Dairy Products - Microbiology

Authorised:  
General Manager



Issue 22 Date: 04/10/19

Page 9 of 10

Schedule to  
**CERTIFICATE OF ACCREDITATION**

Hill Laboratories  
MPI Recognised Laboratory Programme  
**SCOPE OF ACCREDITATION**

Accreditation Number 1148

**(milk, infant formula power, butter, caseins, milk powders)**


31.1	Aerobic Plate Count	TEMPO AC
31.2	<i>Bacillus cereus</i> (count)	TEMPO BC
31.6	Coliform (count)	TEMPO CC
31.7	<i>Escherichia coli</i> (count)	TEMPO EC
31.8	Enterobacteriaceae (count)	TEMPO EB
31.10	<i>Listeria monocytogenes</i>	In-house
31.12	Salmonella (detection)	In-house (PCR)
31.14	<i>Staphylococcus aureus</i>	TEMPO STA
31.16	Yeast and Mould Yeast and Mould	TEMPO MPN APHA 5 <sup>th</sup> Edition – Chapter 21.5 (modified)
31.17	<i>Cronobacter sakazakii</i>	In-house

**Dairy Products - Composition**  
**(includes standards of identity, vitamins, minerals & other nutrients)**

**(milk, cream, milk powders, butter, other fat products, cheese, casein and caseinates, whey products, cultured products, frozen confectionery , dairy foods, Ice cream, rennet, alamin)**

32.9	Minerals: Sodium, Potassium	ICP-OES
------	-----------------------------	---------

Authorised:  
General Manager



Issue 22 Date: 04/10/19

Page 10 of 10