

Laboratory Accreditation Programmes

Schedule to

CERTIFICATE OF ACCREDITATIONHill Laboratories
Wellington**Client No. 9558**

Level 3, 204 Thorndon Quay, Pipitea, Wellington, 6011

Telephone 04 472-1030**www.hill-laboratories.com****Authorised Representative**Mrs Debra McLachlan
Wellington Quality Assurance Coordinator
PO Box 16607
Hornby
Christchurch 8441
New Zealand**Programme**

Chemical Testing Laboratory


Accreditation Number 1301**Initial Accreditation Date 18 May 2018****Conformance Standard**

NZS ISO/IEC 17025:2005

General requirements for the competence of testing and calibration laboratories

Testing Services Summary

2.64 Asbestos

Key Technical PersonnelMr Keith Benson 2.64(a)(b)
Mr Dexter Paguirigan 2.64(a)(b)Authorised:
General Manager

Issue 7

Date: 09/07/19

Page 1 of 2

Schedule to

CERTIFICATE OF ACCREDITATIONHill Laboratories
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 1301


2.64 Asbestos**(a) Identification**

Bulk identification of asbestos using polarised light microscopy (PLM)

AS 4964:2004 Method for the Qualitative Identification of Asbestos in Bulk Samples

(b) Fibre Counts**Analysis**

Determination of air-borne asbestos fibre counts on membrane filters

National Occupational Health & Safety Commission: 3003(2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (2nd Ed)Authorised:
General Manager

Issue 7

Date: 09/07/19

Page 2 of 2